

ENGINE INSPECTION RECORD

ENGINE INSPECTION RECORD  
NO : 286/06/DQMPI  
W.O : 6090377  
JT15D-4 CORVETTE S/N : 70088  
PURCHASE ORDER : DC002326

RECIPIENTS : CUSTOMER - PRODUCT LINE - WORKFILE - MANUFACTURER.

PRODUCTION SIGNATURE	INSPECTION SIGNATURE	AUTHORITIES SIGNATURE
<i>James</i>	<i>Mecigne</i>	<b>EADS SECA</b>
<i>James</i>	<i>Delele</i>	<b>EASA</b>
DATE : 18 janvier 2007	DATE : 18 janvier 2007	FR:145.019

SECA  
1620

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

GENERAL INFORMATION

+-----+  
+ MANUFACTURER : PRATT & WHITNEY TYPE : JT15D-4 CORVETT SERIAL NUMBER : 70088 +  
+-----+  
+ CUSTOMER : AIRBUS FRANCE SAS PURCHASE ORDER : DC002326 WO : 6090377 +  
+ AC MODEL : CORVETTE LOCATION : / +  
+ DATE OF REMOVAL: 23/10/2006 INSPECTION REQD.: JAAM +  
+ REASON FOR REMOVAL : +  
+ REVISION : GENERALE +  
+ WORKS PERFORMED FROM 27/10/2006 TO 17/01/2007 +  
+ REVISION GENERALE DU MOTEUR ET DES ACCESSOIRES. +  
+-----+  
+ COMMENTS : NOTHING +  
+-----+  
+ DOCUMENTS : R. 026 OM +  
+ 83017543 +  
+-----+

SECA-EADS  
DOMS310/DOMR3101

IDENTIFICATION OF MODULES COMPOSING THE ENGINE

18/01/2007  
09.07.56  
PAGE: 3

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

-AT ARRIVAL-		ENG		-AT DELIVERY-	
S/N	B/S	S/N	B/S	S/N	B/S
70088	412	70088	412		
	10184		10184		
	3105		0000		
	3021000		3021000		
	12535		12535		
	3362		0000		

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

SECA-EADS  
DMOS340/DMOR340

DETAIL OF WORKS PERFORMED

NO : 286/06/DQMPI  
W.O : 6090377  
TYPE : JTI5D-4 CORVETTE  
S/N : 70088

18/01/2007  
09.07.58  
PAGE 4

ENG

DEMONTAGE COMPLET DU MOTEUR.  
LAVAGE.CND. INSPECTIONS VISUELLE ET DIMENSIONNELLE DES  
DIFFERENTS ELEMENTS.  
REPARATION OU REMPLACEMENT DES ELEMENTS DEFECTUEUX.  
TRAITEMENTS DE SURFACE COMME NECESSAIRE.  
EQUILIBRAGE DES PARTIES TOURNANTES.  
REVISION GENERALE DES ACCESSOIRES.  
REMONTAGE DU MOTEUR.  
CONTROLE FINAL.  
ESSAI AU BANC.  
STOCKAGE ET CONDITIONNEMENT.  
MISE A JOUR DU LIVRET MOTEUR.

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DOMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

BS NUMBER	REV	MOD	AD/CN NUMBER	REV	NOMENCLATURE / COMMENT	CUSTOMER STANDARDS
BS7002	038	ENG			+ ROTOR COMPONENTS + - SERVICE LIFE	+ X
BS7003	032	ENG			+ ENGINE OPERATING TIME BETWEEN OVERHAULS AND HOT SECTION INSPECTION FREQUENCY	+ X
BS7136	004	ENG			+ IMPROVED CAPACITY OIL PUMP + - INTRODUCTION OF	+ +
BS7139	000	ENG			+ IMPROVED SEALING FOR IMPROVED CAPACITY OIL PUMP + - INTRODUCTION OF	+ X
BS7180	003	ENG			+ IMPROVED N°2 BEARING DAMPENING ARRANGEMENT + - INTRODUCTION OF + COMMENTS: + CSPN	+ + + + + + + +
BS7185	002	ENG			+ OIL PUMP ASSEMBLY + - IMPROVED OIL SCAVENGING	+ + + +
BS7193	006	ENG			+ N°4 BEARING HOUSING + - IMPROVED METHOD OF BOLT RETENTION	+ X + +
BS7206	002	ENG			+ NEW IMPROVED N°2 BEARING RETAINING PLATE + - INTRODUCTION OF + COMMENTS: + AVEC 7180	+ X + + + + + +

X:CUSTOMER STANDARD R:CUSTOMER REQUEST  
 THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : J115D-4 CORVETTE  
S/N : 70088

BS NUMBER	REV	MOD	AD/CN NUMBER	REV	NOMENCLATURE / COMMENT	CUSTOMER STANDARDS
BS7238	002	ENG			IMPROVED N°4 BEARING HOUSING HEATSHIELD - INTRODUCTION OF	X
BS7259	003	ENG			N1 TACHO DRIVE BEVEL GEARS - REPLACEMENT OF COMMENTS: COTES HORS TOLERANCES	
BS7296	003	ENG			HIGH TURBINE STATOR ASSEMBLY (NICKEL) - REMORK/REPLACEMENT OF COMMENTS: PROPOSITION CSPN	X
BS7311	003	ENG			N° 1 BEARING - REPLACEMENT OF COMMENTS: REPLACEMENT LIGNE ROULEMENTS	
BS7394	002	ENG			ASBESTOS-FREE FIBER GASKETS - INTRODUCTION OF COMMENTS: DANS SYSTEMATIQUE	X
BS7395	000	ENG			TRIM BALANCING RIVETS - INTRODUCTION OF	
BS7411	002	ENG			IGNITER AND FUEL NOZZLE GROMMET HOUSING ASSEMBLIES - REPLACEMENT OF COMMENTS: SUITE USURE DES GROMMETS	

X: CUSTOMER STANDARD R: CUSTOMER REQUEST  
THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

MODIFICATIONS EMBODIED DURING WORKS

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	REV	MOD	AD/CN NUMBER	REV	NOMENCLATURE / COMMENT	CUSTOMER STANDARDS
BS7428	001	ENG			KEY WASHER - REPLACEMENT OF COMMENTS: DANS SYSTEMATIQUE	X
BS7452	004	ENG			LOW COMPRESSOR SHAFT ASSEMBLY, INTERSHAFT OIL TRANSFER TUBE ASSEMBLY & TURBINE SHAFT LOCKING BOLT - REPLACEMENT/MODIFICATION OF COMMENTS: AVEC 7530 POUR CDE PIECES	X
BS7484	006	ENG			N°2 AND N°3 BEARINGS - REPLACEMENT OF COMMENTS: REPLACEMENT LIGNE ROULEMENTS	
BS7522	004	ENG			GAS GENERATOR CASE -MODIFICATION OF COMMENTS: SUITE REMISE EN ETAT	X
BS7530	001	ENG			NUMBER THREE AND A HALF BEARING OIL TRANSFER TUBE - REPLACEMENT OF COMMENTS: AVEC 7452	
BS7565	000	ENG			UPPER TOWER SHAFT DUPLEX BEARING-REPLACEMENT OF COMMENTS: PAR PIECE H/S	

X: CUSTOMER STANDARD R: CUSTOMER REQUEST  
THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

MODIFICATIONS EMBODIED DURING WORKS

NO : 286/06/DOMPI  
MO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	REV	MOD	AD/CN NUMBER	REV	NOMENCLATURE / COMMENT	CUSTOMER STANDARDS
BS7585	000	+	ENG	+	FUEL CONTROL UNIT - REPLACEMENT OF	X
BS7607	000	+	ACC	+	FUEL CONTROL RATIO LEVER - INSPECTION OF.	

I HEREBY CERTIFY THAT THE ABOVE MODIFICATIONS HAVE BEEN EMBODIED IN THIS ENGINE  
AUTHORIZED INSPECTOR :

DATE : 18 Janvier 2007



X: CUSTOMER STANDARD R: CUSTOMER REQUEST  
THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DOMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	REASON*	COMMENTS
BS7067	ENG	X	NC	POST 7115
BS7161	ENG	X	NC	PAR S/N MOTEUR
BS7175	ENG	X	NC	POST 7197
BS7190	ENG	X	NC	PAR S/N MOTEUR CODE 8
BS7232	ENG	X	NC	POST 7262
BS7240	ENG	X	NC	POST7262
BS7265	ENG	X	NC	PRE SB 7251
BS7269	ENG	X	NC	POST 7152
BS7274	ENG	X	NC	PAR S/N MOTEUR
BS7277	ENG	X	NC	PAR P/N CHAMBRE
BS7278	ENG	X	NC	PAR P/N CHAMBRE
BS7289	ENG		NC	POST 7384
BS7297	ENG	X	NC	POST 7317
BS7306	ENG		NC	POST 7384
BS7309	ENG	X	NC	POST 7384
BS7319	ENG	X	NC	PRE SB 7251

CUSTOMER STANDARD : X:CUSTOMER STANDARD, R:CUSTOMER REQUESTED  
 REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
 RP = REFUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

SECA-EADS  
DOMS318/DOMS318

MODIFICATIONS NOT INCORPORATED

18/01/2007  
09:08:09  
PAGE: 10

NO : 286/06/DQMPI  
MO : 6090377  
TYPE : JTI5D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	REASON*	COMMENTS
BS7381	ENG	X	NC	PRE SB 7198
BS7410	ENG	X	NC	NON APPLICABLE SUR CORVETTE
BS7442	ENG	X	NC	PRE SB 7251
BS7508	ENG	X	NC	APPLICATION SB 7589
BS7537	ENG	X	NC	PAR S/N -P/N BOUGIES
BS7609	ENG		NC	PAR S/N MOTEUR

CUSTOMER STANDARD : X:CUSTOMER STANDARD, R:CUSTOMER REQUESTED  
REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
RP = REFUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVELETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	STANDARD	COMMENTS
+ BS7001	+ ENG	+ X	+ +	+ +
+ BS7046	+ ENG	+ +	+ +	+ +
+ BS7049	+ ENG	+ X	+ +	+ +
+ BS7052	+ ENG	+ X	+ +	+ +
+ BS7053	+ ENG	+ X	+ +	+ +
+ BS7056	+ ENG	+ +	+ +	+ +
+ BS7064	+ ENG	+ X	+ +	+ +
+ BS7065	+ ENG	+ +	+ +	+ +
+ BS7066	+ ENG	+ X	+ +	+ +
+ BS7069	+ ENG	+ X	+ +	+ +
+ BS7071	+ ENG	+ X	+ +	+ +
+ BS7072	+ ENG	+ +	+ +	+ +
+ BS7076	+ ENG	+ X	+ +	+ +
+ BS7077	+ ENG	+ X	+ +	+ +
+ BS7078	+ ENG	+ X	+ +	+ +
+ BS7079	+ ENG	+ +	+ +	+ +

CUSTOMER STANDARD: X: CUSTOMER STANDARD, R: CUSTOMER REQUESTED  
REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
RP = REPUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	STANDARD	COMMENTS
+ BS7080	+ ENG	+ X	+ +	
+ BS7082	+ ENG	+ X	+ +	
+ BS7083	+ ENG	+ +	+ +	
+ BS7084	+ ENG	+ X	+ +	
+ BS7085	+ ENG	+ X	+ +	
+ BS7086	+ ENG	+ X	+ +	
+ BS7087	+ ENG	+ X	+ +	
+ BS7090	+ ENG	+ X	+ +	
+ BS7094	+ ENG	+ X	+ +	
+ BS7101	+ ENG	+ X	+ +	
+ BS7106	+ ENG	+ X	+ +	
+ BS7107	+ ENG	+ X	+ +	
+ BS7108	+ ENG	+ X	+ +	
+ BS7110	+ ENG	+ +	+ +	
+ BS7112	+ ENG	+ X	+ +	
+ BS7113	+ ENG	+ X	+ +	

CUSTOMER STANDARD: X: CUSTOMER STANDARD, R: CUSTOMER REQUESTED  
 REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
 RP = REFUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JTT15D-4 CORVETTE  
 S/N : 70088

BS NUMBER	MOD	CUSTOMER	STANDARD	COMMENTS
+ BS7114	+ ENG	+ X	+ +	
+ BS7115	+ ENG	+ X	+ +	
+ BS7116	+ ENG	+ X	+ +	
+ BS7117	+ ENG	+ X	+ +	
+ BS7118	+ ENG	+ X	+ +	
+ BS7119	+ ENG	+ X	+ +	
+ BS7120	+ ENG	+ X	+ +	
+ BS7121	+ ENG	+ X	+ +	
+ BS7123	+ ENG	+ X	+ +	
+ BS7125	+ ENG	+ X	+ +	
+ BS7128	+ ENG	+ X	+ +	
+ BS7130	+ ENG	+ X	+ +	
+ BS7131	+ ENG	+ +	+ +	
+ BS7132	+ ENG	+ +	+ +	
+ BS7134	+ ENG	+ +	+ +	
+ BS7135	+ ENG	+ +	+ +	

CUSTOMER STANDARD: X:CUSTOMER STANDARD, R:CUSTOMER REQUESTED  
 REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
 RP = REFUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

MODIFICATIONS PREVIOUSLY INCORPORATED

NO : 286/06/DQMPI  
MO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	COMMENTS
BS7137	ENG	X	
BS7138	ENG	X	
BS7143	ENG	X	
BS7144	ENG		
BS7146	ENG	X	
BS7147	ENG	X	
BS7149	ENG	X	
BS7150	ENG		
BS7152	ENG		
BS7153	ENG		
BS7154	ENG	X	
BS7159	ENG		
BS7160	ENG		
BS7162	ENG	X	
BS7163	ENG	X	
BS7165	ENG	X	

CUSTOMER STANDARD: X: CUSTOMER STANDARD, R: CUSTOMER REQUESTED  
REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
RP = REPUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

MODIFICATIONS PREVIOUSLY INCORPORATED

NO : 286/06/DOMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	COMMENTS
BS7166	ENG		
BS7167	ENG	X	
BS7168	ENG	X	
BS7169	ENG		
BS7170	ENG	X	
BS7172	ENG		
BS7174	ENG		
BS7176	ENG	X	
BS7181	ENG	X	
BS7182	ENG	X	
BS7183	ENG	X	
BS7187	ENG	X	
BS7192	ENG	X	
BS7197	ENG		
BS7199	ENG		
BS7207	ENG	X	

CUSTOMER STANDARD: X: CUSTOMER STANDARD, R: CUSTOMER REQUESTED  
REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
RP = REFUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JTI15D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	COMMENTS
BS7212	ENG	X	
BS7215	ENG	X	
BS7226	ENG		
BS7229	ENG	X	
BS7230	ENG		
BS7233	ENG	X	
BS7244	ENG	X	
BS7252	ENG	X	
BS7253	ENG	X	
BS7254	ENG		
BS7257	ENG	X	
BS7261	ENG		
BS7262	ENG		
BS7264	ENG	X	
BS7268	ENG	X	
BS7286	ENG	X	

CUSTOMER STANDARD: X:CUSTOMER STANDARD, R:CUSTOMER REQUESTED  
REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
RP = REFUSED BY CUSTOMER ALOUD THAT PROPOSED SEGA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	COMMENTS
BS7288	ENG	X	
BS7292	ENG	X	
BS7293	ENG	X	
BS7294	ENG	X	
BS7300	ENG	X	
BS7307	ENG	X	
BS7317	ENG	X	
BS7318	ENG	X	
BS7321	ENG	X	
BS7322	ENG	X	
BS7328	ENG	X	
BS7329	ENG	X	
BS7336	ENG		
BS7337	ENG	X	
BS7340	ENG		
BS7347	ENG	X	

CUSTOMER STANDARD: X: CUSTOMER STANDARD, R: CUSTOMER REQUESTED  
REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
RP = REFUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

BS NUMBER	MOD	CUSTOMER	STANDARD	COMMENTS
+ BS7351	+ ENG	+ X	+ +	
+ BS7362	+ ENG	+ +	+ +	
+ BS7366	+ ENG	+ +	+ +	
+ BS7369	+ ENG	+ X	+ +	
+ BS7376	+ ENG	+ +	+ +	
+ BS7384	+ ENG	+ X	+ +	
+ BS7399	+ ENG	+ X	+ +	
+ BS7419	+ ENG	+ X	+ +	
+ BS7432	+ ENG	+ +	+ +	
+ BS7438	+ ENG	+ X	+ +	
+ BS7465	+ ENG	+ X	+ +	
+ BS7509	+ ENG	+ X	+ +	
+ BS7528	+ ENG	+ X	+ +	
+ BS7541	+ ENG	+ X	+ +	
+ BS7549	+ ENG	+ X	+ +	
+ BS7589	+ ENG	+ +	+ +	

CUSTOMER STANDARD: X:CUSTOMER STANDARD, R:CUSTOMER REQUESTED  
 REASON: NC = NOT CONCERNED, NA = NO ACCESS, PM = PAR MISSING, NR = NOT REQUESTED CUSTOMER,  
 RP = REUSED BY CUSTOMER ALOUD THAT PROPOSED SECA

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

AD/CN NUMBER	REV	MOD	NOMENCLATURE / COMMENT	PREVIOUSLY EMBEDDED	INCORPORATED DURING WORKS
+ CN 75-209	000	ENG	REGULATEUR CARBURANT	+ X	+ +
+ AD 74-26-05	000	+	FCU	+ +	+ +
+ CF 75-9	000	+		+ +	+ +
+ CN 78-206	000	ENG	ADAPTEUR D'INJECTEUR CARBURANT	+ X	+ +
+ CF 78-04	000	+	FUEL MANIFOLD ADAPTER	+ +	+ +
+ CN 81-048	001	ENG	RELAIS ACCESSOIRE	+ X	+ +
+ CF 80-26	001	+	ACCESSORY GEARBOX	+ +	+ +
+ CN 87-064	000	ENG	INSPECTION DES AUBES DE SOUFFLANTE	+ X	+ +
+ AD 87-10-01	000	+	PAN BLADES INSPECTION	+ +	+ +
+ CF 87-05	000	+		+ +	+ +
+ CN 88-046	002	ENG	INSPECTION DU CARTER COMPRESSEUR BP	+ X	+ +
+ CF 88-03	002	+	LP COMPRESSOR CASE INSPECTION	+ +	+ +
+ CN 90-134	000	ENG	DISPOSITIF D'ARRET AUTOMATIQUE DU CARBURANT	+ NC	+ +
+ CF 90-12	000	+	EMERGENCY FUEL SHUT OFF	+ +	+ +
+ CF 90-13	000	+	CN ANNULEE ET REMPLACEE PAR CN 91-244	+ +	+ +
			CN CANCELEED AND REPLACED BY CN 91-244	+ +	+ +
			COMMENTS:	+ +	+ +
			ANNULEE	+ +	+ +
			***CN/AD CANCELLED***	+ +	+ +
+ CN 91-244	001	ENG	DISPOSITIF D'ARRET D'URGENCE	+ X	+ +
+ CF 91-37	001	+	EMERGENCY FUEL SHUT OFF	+ +	+ +
			ANNULEE ET REMPLACEE IA CN 90-134	+ +	+ +
			CANCEL AND REPLACE CN 90-134	+ +	+ +

+ I HEREBY CERTIFY THAT THE ABOVE AIRWORTHINESS DIRECTIVES HAVE BEEN INCORPORATED IN THIS ENGINE  
 + AUTHORIZED INSPECTOR :  
 DATE : 18/01/2007  
 NC = NOT CONCERNED, PM = PART MISSING  
 THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.



SECA-EADS  
DOMS320/DOMR320

AIRBORNE DIRECTIVES

18/01/2007  
09:08:16  
PAGE: 20

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

AD/CN NUMBER	REV	MOD	NOMENCLATURE / COMMENT	PREVIOUSLY EMBODIED	INCORPORATED DURING WORKS
CN 93-230	000	ENG	AILETTES DE TURBINE HP	X	
AD 93-18-08	000	HP	TURBINE BLADES		
CF 91-18	000				

I HEREBY CERTIFY THAT THE ABOVE AIRBORNE DIRECTIVES HAVE BEEN INCORPORATED IN THIS ENGINE  
AUTHORIZED INSPECTOR : *[Signature]*  
DATE : *18 Janvier 2007*  
NC = NOT CONCERNED, PM = PART MISSING  
THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.



NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

EADS + CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
SECTION 723000					
+723101	LOW COMPRESSOR CASE				
+ P/N=3022325		+ PERTE DE REVETEMENT.	+ P/N=3022325	+ S	+ 1
+ S/N=PB8786		+ COMMENTS:	+ S/N=PB8786	+ +	+ +
		+ REPARÉ.		+ +	+ +
+723103	LOW COMPRESSOR OUTER STATOR				
+ P/N=3023760		+ PERTE DE REVETEMENT.	+ P/N=3023760	+ S	+ 1
+ S/N=PMC99M636		+ COMMENTS:	+ S/N=PMC99M636	+ +	+ +
		+ REPARÉ.		+ +	+ +
+723107	INTERMEDIATE CASE				
+ P/N=3021090		+ DIAMETRE HORS TOLERANCES.	+ P/N=3102390-01	+ S	+ 1
+ S/N=PMC88D1117		+ COMMENTS:	+ S/N=PMC05M1114	+ +	+ +
		+ REMPLACE.		+ +	+ +
		+ APPLICATIONS SB 7180.		+ +	+ +
+723108	COVER OIL TANK				
+ P/N=01R3018706		+ PERTE DE REVETEMENT.	+ P/N=01R3018706	+ S	+ 1
+ S/N=PMC88D1115		+ COMMENTS:	+ S/N=PMC88D1115	+ +	+ +
		+ REPARÉ.		+ +	+ +
+723116	BEARING REAR STATOR AIR SEAL				
+ N°2		+ LEVRE DEFORMEE ET DIAMETRE HORS	+ P/N=3019392	+ N	+ 1
+ P/N=3019392		+ TOLERANCES.	+ S/N=---	+ +	+ +
+ QTY=0001		+ COMMENTS:		+ +	+ +
		+ REMPLACE.		+ +	+ +
+723118	RETAINING PLATE				
+ P/N=3108010-02		+ /	+ P/N=3108677-01	+ N	+ 1
+ QTY=0001		+ COMMENTS:	+ S/N=---	+ +	+ +
		+ REMPLACE PAR SB 7180 ET 7206.		+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

+	+	+	+	+	+	+	+	+	+
+	+	+	+	+	+	+	+	+	+
+	EADS	+	REMOVED PARTS	+	FINDING/COMMENTS	+	INSTALLED PARTS	+	STT+ QTY
+	CODE	+		+		+		+	
+	723120	+	DUPLEX BALL BEARING	+		+		+	
+		+	P/N=3100641-01	+	EMPREINTES SUR BILLES.	+	P/N=3053616-01	+	N + 1
+		+	S/N=41A233	+	COMMENTS:	+	S/N=FCM173121	+	
+		+		+	REMPPLACE.	+		+	
+		+		+	APPLICATION SB 7565.	+		+	
+	723126	+	INNER COMPRESSOR INLET CONE	+		+		+	
+		+	P/N=3026568	+	PERTE DE REVETEMENT.	+	P/N=3026568	+	S + 1
+		+	S/N=---	+	COMMENTS:	+	S/N=---	+	
+		+		+	REPARER.	+		+	
+	723127	+	INLET CONE SHAFT	+		+		+	
+		+	P/N=3028431	+	CONCENTRICITE HORS TOLERANCES.	+	P/N=3028431	+	S + 1
+		+	S/N=PMC88D1129	+	COMMENTS:	+	S/N=---	+	
+		+		+	REMPPLACE.	+		+	
+	723130	+	LP COMPRESSOR BLADES	+		+		+	
+		+		+		+		+	
+	002	+	P/N=3019801CL	+	/.	+	P/N=3042101CL	+	S + 1
+		+	S/N=B7926	+	COMMENTS:	+	S/N=42B832	+	
+		+	CLASS= 12	+	REMPPLACE POUR JEU MID SPAN.	+	CLASS= 13	+	
+		+		+	/.	+	P/N=3042101CL	+	S + 1
+	003	+	P/N=3019801CL	+	COMMENTS:	+	S/N=23A578	+	
+		+	S/N=B6647	+	REMPPLACE POR JEU MID SPAN.	+	CLASS= 13	+	
+		+	CLASS= 12	+	/.	+	P/N=3042101CL	+	S + 1
+		+		+	COMMENTS:	+	S/N=42B202	+	
+	004	+	P/N=3019801CL	+	REMPPLACE POUR JEU MID-SPAN.	+	CLASS= 13	+	
+		+	S/N=B6034	+	/.	+	P/N=3019801CL	+	S + 1
+		+	CLASS= 11	+	COMMENTS:	+	S/N=PC9319402	+	
+		+		+	REMPPLACE POUR JEU MID-SPAN.	+	CLASS= 8	+	
+	007	+	P/N=3019801CL	+	/.	+	P/N=3019801CL	+	S + 1
+		+	S/N=B8630	+	COMMENTS:	+	S/N=PC9319402	+	
+		+	CLASS= 11	+	REMPPLACE POUR JEU MID-SPAN.	+	CLASS= 8	+	

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

FINDING DURING INSPECTION AND CORRECTIVES ACTIONS

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

EADS CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
009	P/N=3019801CL S/N=B4977 CLASS= 11	/. COMMENTS: REPLACEE POUR JEU MID-SPAN.	P/N=3042101CL S/N=23A574 CLASS= 13	S	1
012	P/N=3019801CL S/N=A4921 CLASS= 13	/. COMMENTS: REPLACEE POR JEU MID-SPAN.	P/N=3019801CL S/N=PC9226204 CLASS= 11	S	1
016	P/N=3019801CL S/N=B8990 CLASS= 11	/. COMMENTS: REPLACEE POUR JEU MID-SPAN.	P/N=3019801CL11 S/N=PC9226206 CLASS= 11	S	1
018	P/N=3019801CL S/N=B7002 CLASS= 12	/. COMMENTS: REPLACEE POUR JEU MID-SPAN.	P/N=3019801CL11 S/N=PC9226207 CLASS= 11	S	1
020	P/N=3019801CL S/N=B7469 CLASS= 11	/. COMMENTS: REPLACEE POUR JEU MID-SPAN.	P/N=3019801CL11 S/N=PC9226208 CLASS= 11	S	1
021	P/N=3019801CL S/N=A6512 CLASS= 10	/. COMMENTS: REPLACEE POR JEU MID-SPAN.	P/N=3019801CL11 S/N=PC9226202 CLASS= 11	S	1
023	P/N=3019801CL S/N=B8395 CLASS= 11	/. COMMENTS: REPLACEE POUR JEU MID-SPAN.	P/N=3019801CL11 S/N=PC9226203 CLASS= 11	S	1
025	P/N=3019801CL S/N=B8072 CLASS= 12	/. COMMENTS: REPLACEE POUR JEU MID-SPAN.	P/N=3019801CL12 S/N=PC9226227 CLASS= 12	S	1

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.



NO : 286/06/DOMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

EADS CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
+723157+	IMPELLER SHROUD HOUSING	+ PERTE DE REVETEMENT.	+ P/N=3114745-01	+ S	+ 1
		+ COMMENTS:	+ S/N=PMC88D981		
		+ REPARÉ.			
+723164+	N°3 BEARING AIR SEAL REAR	+ DIAMETRES HORS TOLERANCES.	+ P/N=3029071	+ N	+ 1
		+ COMMENTS:	+ S/N=---		
		+ REMPLACE.			
+723169+	N°3 1/2 BEARING REAR SEAL	+ IMPACT SUR LEVRES	+ P/N=3029070	+ N	+ 1
		+ COMMENTS:	+ S/N=---		
		+ REMPLACE.			
+723170+	HP TURBINE SHAFT	+ CORROSION.	+ P/N=3114855-01	+ S	+ 1
		+ COMMENTS:	+ S/N=4X224		
		+ REMPLACE.			
+723175+	N°2 ENGINE BEARING	+ /.	+ P/N=3119579-01	+ N	+ 1
		+ COMMENTS:	+ S/N=FAA0619388		
		+ REMPLACE PAR SB 7484.			
		+ APPLICATION DE LA CSPN A00002R04.			
+723176+	N°3 ENGINE BEARING	+ /.	+ P/N=3041769-01	+ N	+ 1
		+ COMMENTS:	+ S/N=FNC177966		
		+ REMPLACE PAR SB 7484.			
		+ APPLICATION DE LA CSPN A00002R04.			

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

+ EADS + REMOVED PARTS		+ FINDING/COMMENTS		+ INSTALLED PARTS		+ STY + QTY	
+ CODE +							
+723177+	N°3 1/2 ENGINE BEARING						
+ +	+ P/N=3101648-01	+ DEPOT DE CALAMINE.		+ P/N=3032650		+ N +	1
+ +	+ S/N=35V5	+ COMMENTS:		+ S/N=FAA0621405		+ +	
+ +		+ REPLACE.				+ +	

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JTI5D-4 CORVETTE  
 S/N : 70088

EADS CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
SECTION 724000					
+724101	COMBUSTION CHAMBER LINER				
+ P/N=3041219		+ CRIQUES SUR SOUDURE.	+ P/N=3041219	+ S	1
+ S/N=850		+ COMMENTS:	+ S/N=850	+	
		+ REPAIR.		+	
		+ APPLICATION SB 7411.		+	
+724103	LP TURBINE STATOR SUPPORT				
+ P/N=3023708		+ DIAMETRE "E" HORS TOLERANCES.	+ P/N=3023708	+ S	1
+ S/N=0702		+ CRIQUE SUR BOSSAGE INJECTEURS.	+ S/N=00990	+	
		+ COMMENTS:		+	
		+ REPLACE.		+	

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

EADS CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
SECTION 725000					
+725101	METAL SEAL RING	+ USURE EXCESSIVE.	+ P/N=3117494-01	+ N	+ 1
	P/N=3117494-01	+ COMMENTS:	+ S/N=---		
	QTY=0001	+ REPLACE.			
+725104	HT AIR SEAL	+ DIAMETRE HORS TOLERANCES.	+ P/N=3029064	+ S	+ 1
	P/N=3029064	+ COMMENTS:	+ S/N=---		
	S/N=5-64-3	+ REPLACE.			
+725105	SMALL EXIT DUCT	+ CRIQUES ET BRULURE SUR DOME.	+ P/N=3031461	+ S	+ 1
	P/N=3031461	+ COMMENTS:	+ S/N=5010-886		
	S/N=5006-824	+ REPLACE.			
+725107	HIGH PRESSURE TURBINE STATOR	+ /.	+ P/N=3040661	+ N	+ 1
	P/N=3040761	+ COMMENTS:	+ S/N=HLAA000A327		
	S/N=5A083	+ REMPLACE PAR SB 7296.			
		+ APPLICATION CVSPN 1001406.			
+725108	SHROUD SEGMENTS	+ USURE EXCESSIVE+CRIQUES.	+ P/N=3031060CL16	+ N	+ 14
	P/N=3031060CL	+ COMMENTS:	+ S/N=---		
	QTY=0014	+ REMPLACES.			
+725110	LARGE EXIT DUCT	+ DEFORME.	+ P/N=3100294-01	+ S	+ 1
	P/N=3100294-01	+ COMMENTS:	+ S/N=5071-87		
	S/N=5071-87	+ REPARA.			

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMP1  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

EADS CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
+725111	+ N°3 BEARING SPATOR AIR SEAL + P/N=3019413 + QTY=0001	+ DIAMETRE HORS TOLERANCES. + COMMENTS: + REMPLACE.	+ P/N=3019413 + S/N=PMC91D11724	+ S + +	+ 1 + +
+725114	+ HP TURBINE BLADES	+ 7 AILETTES CRIQUEES. + COMMENTS: + 7 AILETTES REMPLACES.	+ P/N=3055021-01 + S/N=---	+ N + +	+ 7 + +
+725115	+ HP TURBINE DISK + P/N=3023411 + S/N=0797	+ DIAMETRE "D" HORS TOLERANCES. + COMMENTS: + REMPLACE.	+ P/N=3023411 + S/N=PA1548	+ S + +	+ 1 + +
+725118	+ LP TURBINE ROTOR AIR SEAL + P/N=3018980 + QTY=0001	+ USURE EXCESSIVE. + COMMENTS: + REMPLACE.	+ P/N=3018980 + S/N=---	+ S + +	+ 1 + +
+725119	+ LP TURBINE INTERSTAGE AIR SEAL + P/N=3029077 + QTY=0001	+ USURE EXCESSIVE. + COMMENTS: + REMPLACE.	+ P/N=3029077 + QTY=0001	+ S + +	+ 1 + +
+725123	+ SECOND STAGE LP TURBINE BLADES + P/N=3022202	+ 1 AILETTE AVEC IMPACT HORS TOLERANCES. + COMMENTS: + 1 AILETTE REMPLACE.	+ P/N=3022202	+ S + +	+ 61 + +

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

EADS CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
+ 725125	+ THIRD STAGE LP TURBINE BLADES	+ 2 ALIETTES DEFORMEES. + COMMENTS: + 2 ALIETTES REMPLACEES.	+ P/N=3020703	+ S	+ 55
+ 725128	+ N°4 ENGINE BEARING	+ /. + COMMENTS: + REMPLACE PAR CSPN A00002R04.	+ P/N=3041769-01 + S/N=FNC177964	+ N	+ 1
+ 725130	+ LP TURBINE SHAFT	+ DIAMETRE HORS TOLERANCES. + COMMENTS: + REMPLACE.	+ P/N=3109322-01 + S/N=1L400	+ S	+ 1
+ 725131	+ INTERSHAFT OIL TRANSFER	+ /. + COMMENTS: + REMPLACE PAR SB 7452 ET 7530.	+ P/N=3119589-01 + S/N=---	+ N	+ 1
+ 725132	+ SECOND STAGE LP TURBINE STATOR	+ CRIQUE. + COMMENTS: + REPAR.	+ P/N=3048562 + S/N=5806	+ S	+ 1
+ 725138	+ THIRD STAGE LP TURBINE INTERSTAGE STATOR	+ CRIQUE HORS TOLERANCES. + COMMENTS: + REMPLACE.	+ P/N=3021663 + S/N=PB5998	+ S	+ 1

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

FINDING DURING INSPECTION AND CORRECTIVES ACTIONS

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

SECA-EADS DOMS327/DOMR3271	FINDING DURING INSPECTION AND CORRECTIVES ACTIONS	INSTALLED PARTS	STT	QTY
+ EADS + REMOVED PARTS	+ FINDING/COMMENTS	+ INSTALLED PARTS	+ STT	+ QTY
+ CODE +				
+725142+ EXHAUST DUCT	+ CRIQUE TRAVERSANTE SUR BOSSAGE.	+ P/N=3027159	+ S	+ 1
+ P/N=3027169	+ COMMENTS:	+ S/N=0618	+ +	+ +
+ S/N=A5989	+ REMPLACE.		+ +	+ +
+725144+ N°4 BEARING HOUSING	+ /.	+ P/N=3101995-01	+ S	+ 1
+ P/N=3028538	+ COMMENTS:	+ S/N=1-3-9	+ +	+ +
+ S/N=1-3-9	+ MODIFIE PAR SB 7193.		+ +	+ +
+725159+ SHIELD	+ /.	+ P/N=3107904-01	+ N	+ 1
+ P/N=3101974-01	+ COMMENTS:	+ S/N=---	+ +	+ +
+ QTY=0001	+ REMPLACE PAR SB 7238.		+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : J715D-4 CORVETTE  
 S/N : 70088

EADS CODE	REMOVED PARTS	FINDING/COMMENTS	SECTION	INSTALLED PARTS	STT	QTY
+ 726104	+ HEADLESS PIN	+ CORROSION.	+ 726000	+ P/N=3019012	+ N	+ 3
+ +	+ P/N=3019012	+ COMMENTS:		+ S/N=---	+ +	+ +
+ +	+ QTY=0003	+ REMPLACES.			+ +	+ +
+ 726121	+ ACCESSORY GEARBOX COVER	+ USURE HORS TOLERANCES DES BAGUES.		+ P/N=3017230	+ S	+ 1
+ +	+ P/N=3017230	+ COMMENTS:		+ QTY=0001	+ +	+ +
+ +	+ QTY=0001	+ REPAIRE.			+ +	+ +
+ 726124	+ ACCESSORY GEARBOX HOUSING	+ USURE HORS TOLERANCES DES BAGUES.		+ P/N=3113000-01	+ S	+ 1
+ +	+ P/N=3113000-01	+ COMMENTS:		+ S/N=2122	+ +	+ +
+ +	+ S/N=2122	+ REPAIRE.			+ +	+ +
+ 726125	+ PLAIN BEARING	+ DIMENSIONNELLE HORS TOLERANCES.		+ P/N=3017244	+ N	+ 5
+ +	+ P/N=3017244	+ COMMENTS:		+ S/N=---	+ +	+ +
+ +	+ QTY=0005	+ REMPLACES.			+ +	+ +
+ 726131	+ OIL PUMP DRIVESHAFT	+ /.		+ P/N=3027296	+ N	+ 1
+ +	+ P/N=3017757	+ COMMENTS:		+ S/N=---	+ +	+ +
+ +	+ S/N=913	+ REMPLACE PAR SB 7136.			+ +	+ +
+ 726132	+ N°4 BEARING SCAVENGE PUMP HOUSING	+ /.		+ P/N=3104264-01	+ N	+ 1
+ +	+ P/N=3018942	+ COMMENTS:		+ S/N=---	+ +	+ +
+ +	+ QTY=0001	+ REMPLACE PAR SB 7136.			+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

FINDING DURING INSPECTION AND CORRECTIVES ACTIONS

NO : 286/06/DQMPI  
WO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

CODE	REMOVED PARTS	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
+726133	+ N°4 BEARING SCAVENGE PUMP ELEMENT	+ /.	+ P/N=3027285	+ N	+ 1
	+ P/N=3018941	+ COMMENTS:	+ S/N=---	+ +	+ +
	+ QTY=0001	+ REPLACE PAR SB 7136.		+ +	+ +
+726134	+ COVER PUMP HOUSING	+ /.	+ P/N=3104264-01	+ N	+ 1
	+ P/N=3018943	+ COMMENTS:	+ S/N=---	+ +	+ +
	+ QTY=0001	+ REPLACE PAR SB 7136.		+ +	+ +
+726135	+ SCAVENGE PUMP ELEMENT	+ /.	+ P/N=3027289	+ N	+ 1
	+ P/N=3017769	+ COMMENTS:	+ S/N=---	+ +	+ +
	+ QTY=0001	+ REPLACE PAR SB 7136.		+ +	+ +
+726136	+ SCAVENGE PUMP COVER	+ /.	+ P/N=3031375	+ N	+ 1
	+ P/N=3017751	+ COMMENTS:	+ S/N=---	+ +	+ +
	+ QTY=0001	+ REPLACE PAR SB 7139.		+ +	+ +
+726137	+ PRESSURE PUMP COVER	+ /.	+ P/N=3031376	+ N	+ 1
	+ P/N=3017754	+ COMMENTS:	+ S/N=---	+ +	+ +
	+ QTY=0001	+ REPLACE PAR SB 7139.		+ +	+ +
+726139	+ PRESSURE PUMP ELEMENT	+ /.	+ P/N=3027294	+ N	+ 1
	+ P/N=3017768	+ COMMENTS:	+ S/N=---	+ +	+ +
	+ QTY=0001	+ REPLACE PAR SB 7136.		+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.



NO : 286/06/DQMPI  
MO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

EADS + REMOVED PARTS + CODE +	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
SECTION 727000				
+727102+ REAR INNER BYPASS DUCT + P/N=3021436 + S/N=051	+ CRIQUE. + COMMENTS: + REPARÉ.	+ P/N=3021436 + S/N=051	+ S +	1
+727103+ OUTER BYPASS DUCT + P/N=3028706 + S/N=0645	+ PERTE DE REVETEMENT. + COMMENTS: + REMPLACE.	+ P/N=3028706 + S/N=0745	+ S +	1

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

EADS + REMOVED PARTS + CODE	FINDING/COMMENTS	INSTALLED PARTS	STT	QTY
SECTION 730000				
+731102+ FUEL COOLED OIL COOLER	+ FIN DE POTENTIEL.	+ P/N=3015303	+ S	+ 1
+ P/N=3015303	+ COMMENTS:	+ S/N=2305	+ +	+ +
+ S/N=2305	+ REVISION GENERALE.		+ +	+ +
+731103+ FUEL PUMP	+ FIN DE POTENTIEL.	+ P/N=3031632C	+ S	+ 1
+ P/N=3031632C	+ COMMENTS:	+ S/N=2093	+ +	+ +
+ S/N=2093	+ REVISION GENERALE.	+ PN VENDOR=	+ +	+ +
+ PN VENDOR =		025493-402-05	+ +	+ +
+ 025493-402-05			+ +	+ +
+731110+ FLOW DIVIDER	+ FIN DE POTENTIEL.	+ P/N=3024476	+ S	+ 1
+ P/N=3024476	+ COMMENTS:	+ S/N=0447	+ +	+ +
+ S/N=0447	+ REVISION GENERALE.		+ +	+ +
+731130+ FUEL MANIFOLD ASSEMBLY AND S.O.V.	+ FIN DE POTENTIEL.	+ P/N=3015518	+ S	+ 12
+ P/N=3015518	+ COMMENTS:		+ +	+ +
+ S/N=3015518	+ REVISION GENERALE.		+ +	+ +
+732101+ FUEL CONTROL UNIT	+ FIN DE POTENTIEL.	+ P/N=3027174	+ S	+ 1
+ P/N=3027174	+ COMMENTS:	+ S/N=A17501	+ +	+ +
+ S/N=A17501	+ REVISION GENERALE.	+ PN VENDOR=	+ +	+ +
+ PN VENDOR =		3244718-11	+ +	+ +
+ 3244718-11	+ APPLICATION SB 7585 ET 7607.	3244718-12	+ +	+ +
+ 3244718-12			+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPT  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

EADS + REMOVED PARTS + CODE +	FINDING/COMMENTS	INSTALLED PARTS +	STT +	QTY +
SECTION 740000				
+741104+ IGNITION EXCITER				
+ P/N=3035546	+ /	+ P/N=3035546	+ S	+ 1
+ S/N=943161930	+ COMMENTS:	+ S/N=943161930	+ +	+ +
+ PN VENDOR =	+ NETTOYE, INSPECTE, TESTE.	+ PN VENDOR =	+ +	+ +
+ 10-381550-2P		+ 10-381550-2P	+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICIABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.



NO : 286/06/DQMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

EADS + REMOVED PARTS + CODE +	FINDING/COMMENTS	INSTALLED PARTS	STT +	QTY
+ +	SECTION 770000	+ +	+ +	+ +
+770109+ THERMOCOUPLE PROBE	+ 4 SONDES ISOLATION HORS TOLERANCES.	+ P/N=3120096-01	+ N +	+ 4
+ + P/N=3027329	+ COMMENTS:	+ +	+ S +	+ 2
+ +	+ 4 SONDES REMPLACES.	+ +	+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICEABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DOMPI  
 WO : 6090377  
 TYPE : JT15D-4 CORVETTE  
 S/N : 70088

+ EADS +	+ REMOVED PARTS	+ FINDING/COMMENTS	+ INSTALLED PARTS	+ STT +	+ QTY
+ CODE +					
+ +	+ +	SECTION 790000	+ +	+ +	+ +
+792115	+ OIL TUBES COUPLING ASSY	+ LEGERE CORROSION+PERTE DE REVETEMENT.	+ P/N=3017980	+ S +	1
+ +	+ P/N=3017980	+ COMMENTS:	+ S/N=---	+ +	+ +
+ +	+ QTY=0001	+ REPAIR.		+ +	+ +

STT\* = STATUS OF PART, N = NEW, S = SERVICEABLE

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

SECA-EADS  
DOMS330/DOMR330

LIFE LIMITED PARTS ON DELIVERY

18/01/2007  
09.08.41  
PAGE 41

NO : 286/06/DQMPI  
W.O : 6090377  
TYPE : J115D-4 CORVETTE  
S/N : 70088

EADS CODE	NOMENCLATURE - P/N - S/N	FCF	LIFE LIMIT	CSN/TSN	REMAIN.	UNIT.	REMARK
723131	LOW COMPRESSOR HUB INSTALLED PN=3018018 SN=5A9958	QT: 1	2,00	27500	20368	7132	CYCLES ✓
723135	ROTOR HUB INSTALLED PN=3021112 SN=PB6214	QT: 1	1,00	14000	10184	3816	CYCLES ✓
723166	IMPELLER INSTALLED PN=3036625 SN=9C283	QT: 1	1,00	8200	5452	2748	CYCLES ✓
725114	HP TURBINE BLADES INSTALLED PN=3055021-01 SEE HISTORY CARD 725114 FOR DETAIL	QT: 71	---	---	---	---	---
725115	HP TURBINE DISK INSTALLED PN=3023411 SN=PA1548	QT: 1	1,00	14000	6722	7278	CYCLES ✓
725124	SECOND STAGE LP DISK INSTALLED PN=3022212 SN=1617	QT: 1	1,00	14000	10184	3816	CYCLES ✓
725126	THIRD STAGE LP DISK INSTALLED PN=3036113 SN=1540	QT: 1	1,00	14000	10184	3816	CYCLES ✓

AUTHORIZED INSPECTOR : *JR Janssen 2007*  
DATE : *18 Jan 2007*

EADS  
SECA  
1620

(NC= NOT CONCERNED)

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

LIST OF ACCESSORIES AT DELIVERY

NO : 286/06/DQMPI  
W.O : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

EADS CODE	NOMENCLATURE	INSTALLED	TSN	TSO	UNITE
731102	FUEL COOLED OIL COOLER	PN= 3015303 SN= 2305	UNKNOW	0	HOURS
731103	FUEL PUMP	PN= 3031632C SN= 2093 PN VENDOR = 025493-402-05	UNKNOW	0	HOURS
731110	FLOW DIVIDER	PN= 3024476 SN= 0447	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS
731130	FUEL MANIFOLD ASSEMBLY AND S.O.V.	PN= 3015518 SN=	UNKNOW	0	HOURS

(NC= NOT CONCERNED)  
THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

SECA-EADS  
DMOS335/DMOR335

LIST OF ACCESSORIES AT DELIVERY

18/01/2007  
09.08.43  
PAGE 43

NO : 286/06/DQMPI  
W.O : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

EADS CODE	NOMENCLATURE	INSTALLED	TSN	TSO	UNIT
732101	FUEL CONTROL UNIT	PN= 3027174 PN VENDOR = 3244718-12	UNKNOW		0 HOURS
741104	IGNITION EXCITER	PN= 3035546 PN VENDOR = 10-381550-2P			HOURS
750103	ANTI ICING VALVE	PN= 3018531 PN VENDOR = KW15632	UNKNOW		0 HOURS

AUTHORIZED INSPECTOR : *[Signature]*  
DATE : 18 Janvier 2007



(NC= NOT CONCERNED)  
THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.

NO : 286/06/DQMPI  
MO : 6090377  
TYPE : JT15D-4 CORVETTE  
S/N : 70088

SUMMARY

FRONT PAGE  
GENERAL INFORMATION 1  
IDENTIFICATION OF MODULES COMPOSING THE ENGINE 2  
DETAIL OF WORKS PERFORMED 3  
MODIFICATIONS EMBODIED DURING WORKS 4  
MODIFICATIONS NOT INCORPORATED 5  
MODIFICATIONS PREVIOUSLY INCORPORATED 9  
AIRWORTHINESS DIRECTIVES 11  
FINDING DURING INSPECTION AND CORRECTIVES ACTIONS 19  
LIFE LIMITED PARTS ON DELIVERY 21  
LIST OF ACCESSORIES AT DELIVERY 41  
LIST OF HPT AND LPT/PT1 BLADES 42  
AUTHORISED RELEASE CERTIFICATE  
TEST SHEED

THIS DOCUMENT IS THE PROPERTY OF S.E.C.A. THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DIVULGED OR REPRODUCED WITHOUT PROPER AUTHORIZATION.  
1-IDADRUNP011 - RUN COMPLETED, RC = 0

OFF

PRATT & WHITNEY CANADA

# SERVICE BULLETIN

TURBOFAN ENGINE  
LOW COMPRESSOR ROTOR BLADE - SERIALIZATION OF

## LOW COMPRESSOR BLADE

SB 7337  
Serial Number Record

ENG TYPE JT15

MODEL D4

S/N 70088

WORK ORDER 6090377

DATE 16/01/2007

T.S.N. 12535

C.S.N. 10184

T.S.O. : 0

C.S.O. : 0

<u>Part Number</u>	<u>Serial Number</u>	<u>Part Number</u>	<u>Serial Number</u>	<u>Part Number</u>	<u>Serial Number</u>
3019801 cl 8	PC 9319402	3019801 cl 11	B 8650		
3042101 cl 13	23 A 574	3019801 cl 11	B 8557		
3042101 cl 13	23 A 578	3019801 cl 12	B 6636		
3042101 cl 13	42 B 832	3019801 cl 11	B 7537		
3042101 cl 13	42 B 202	3019801 cl 12	B 6607		
3019801 cl 11	PC 9226203	3019801 cl 12	B 6396		
3019801 cl 11	PC 9226202	3019801 cl 11	B 7446		
3019801 cl 11	PC 9226208	3019801 cl 13	B 6385		
3019801 cl 11	PC 9226207	3019801 cl 12	B 6789		
3019801 cl 12	PC 9226227	3019801 cl 11	B 7841		
3019801 cl 11	PC 9226206	3019801 cl 12	B 6745		
3019801 cl 11	PC 9226204	3019801 cl 12	B 7861		
3019801 cl 11	B 8730	3019801 cl 10	B 5819		
3019801 cl 12	B 5754	3019801 cl 11	B 3326		



**PROCES VERBAL D'ESSAIS AU BANC  
( TEST SHEET )  
JT15**

PV : 72.99.05  
INDICE : M  
DATE : 05/09/2005  
PAGE : 1 / 1

**DOCUMENT REFERENCE : OHM 301 7543 Rév 26 du 13/05/2005**  
(Manual P.N.)

**TYPE DE MOTEUR** : JT15D-4 Corvette      **N° MOTEUR** : 70088  
(Engine Type)      (Engine SN)

**N° O.E.** : 6090377      **DATE D'ESSAI** : 15/01/2007  
(W.O.)      (Test date)

**TYPE D'HUILE** : BPTO 2380      **APRES INTERVENTION** : OVERHAUL  
(Oil type)      (After)

**Résultats corrigés à P. Baro** : 29.92 In/Hg      **Résultats corrigés à T2** : 15 °C  
(Corrected data at Baro Press.)      (Corrected data at T2)

PARAMETRE (parameter)	CRITERES D'ACCEPTATION (acceptance limits)		RESULTATS (corrected data)	UNITES (units)
	Mini	Maxi		
<b>PUISSANCE</b> (Power)			<b>2500</b>	<b>LBS</b>
<b>N1</b> (Fan speed)	<b>15500</b>	<b>16000</b>	15716	<b>RPM</b>
<b>N2</b> (Gaz Gene speed)	<b>30800</b>	<b>31200</b>	31040	<b>RPM</b>
<b>T5</b> (Egt)		<b>681.5</b>	670.6	°C
<b>SFC</b>		<b>0.569</b>	0.550	<b>Lbs/H/Lb</b>
<b>TAT N1</b>	<b>2 Min 30</b>		3.33	<b>Min . Sec</b>
<b>TAT N2</b>	<b>55 Sec</b>		0.55	<b>Min . Sec</b>
<b>CONSO. D'HUILE</b> (Oil consumption)		<b>0,2</b>	Négligeable	<b>LBS / H</b>
<b>% N 1 =</b>	98.8	<b>% N 2 =</b>	94.7	
<b>TRIM T5</b>	26.50    Ω		<b>CLASSE TUYERE</b> (Nozzle class)	<b>B</b>

**DATE DE STOCKAGE DU** : 16/01/2007  
**CIRCUIT CARBURANT**  
(Preservation date)

**TEMPS D'ESSAI** : 2.20      **Hr.Mn**  
(Test time)

**EXECUTANT** : PAUL / LUCIANI  
(Test performer)

**VISA DU CONTROLE** :  
(Quality Control)

*(Signature)*  
**0984**

1. Approving competent Authority/Country  
*Autorité Compétente/Pays*  
**DIRECTION GENERALE DE L'AVIATION CIVILE**  
**FRANCE**

2. **AUTHORISED RELEASE CERTIFICATE**  
*Certificat Libérateur Autorisé*  
**EASA FORM 1**  
*Formulaire 1 de l'EASA*

3. Form Tracking Number  
*N° de repère du Formulaire*  
**B-022797.**

4. **EADS**  
*SECA*  
**AEROPORT DU BOURGET - B.P. 132 - 93352 LE BOURGET CEDEX**

5. Work Order / Contract / Invoice  
*Bon de Commande / Contrat / Facture*  
**6090377**

6. Item	7. Description / Description	8. Part No / N° de pièce	9. Eligibility / Admissibilité*	10. Qty/ Qté	11. Serial / Batch No N° Série/Lot	12. Status / Work Etat / Travaux
1	MOTEUR ASSEMBLE COMPLET JT15D4	3021000	Various	1	PC-E 70088	REVISION GENERALE

13. Remarks / Remarques  
*The detail of the works performed is described in the engine inspection record Nr 286/06/DQM/PI*  
**TSN: 12535 TSO: 0 CSN: 10184 CSO: 0**

DOCUMENTATION SUPPORT : **OM 3017543 Rev.26 -- --**

Limited life parts must normally be accompanied by maintenance history including life used. *Les pièces à durée de vie limitée doivent être accompagnées de leur historique d'entretien précisant la durée de vie utilisée.*

14. Certifies that the items identified above were manufactured in conformity to :  
*Certifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux :*

approved design data and are in condition for safe operation  
*données de conception approuvées et sont en état de fonction en toute sécurité*

non-approved design data specified in block 13  
*données de conception non approuvées spécifiées dans la case 13*

15. Authorised Signature :  
*Signature autorisée*

16. Approval / Authorisation Number  
*Numéro d'agrément / d'autorisation*

17. Name / Nom  
*Signature autorisée*

18. Date (d/m/y) / Date (j/m/a)

19.  Part - 145.A.50 Release to service  
*Approbation pour remise en service selon Partie 145.A.50*

Other regulation specified in block 13  
*Autre réglementation précisée en case 13*

20. Authorised Signature :  
*Signature autorisée*

21. Certificate / Approval Ref. No  
*N° de certificat / d'agrément*

22. Name / Nom  
**Jean Pierre LECLERC**

23. Date (d/m/y) / Date (j/m/a)  
**17 janvier 2007**

**USER/INSTALLER RESPONSIBILITIES - Responsabilités de l'utilisateur/installateur**

Note : 1- It is important to understand that the existence of the document alone does not automatically constitute authority to install the part/component/assembly.  
*Il est important de comprendre que de part son existence, ce document ne constitue pas forcément l'autorisation d'installer la pièce/élément/ensemble.*

2- Where the user/installer works in accordance with the national regulations of an Airworthiness Authority different from the Airworthiness Authority specified in block 1, ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority specified in block 1.  
*Quand l'utilisateur/installateur travaille selon la réglementation nationale d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son autorité de navigabilité accepte les pièces/composants/ensembles fournis par l'autorité de navigabilité mentionnée dans la case 1.*

3- Statement 14 and 19 do not constitute installation certification. In all cases the aircraft maintenance record shall contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.  
*Les indications portées des cases 14 et 19 ne constituent pas une certification de montage. Dans tous les cas le dossier d'entretien de l'aéronef doit contenir une certification d'installation délivrée conformément aux règlements nationaux par l'utilisateur/installateur avant que l'aéronef puisse décoller.*